

CLIPSAL[®]
every room, every home

2000 Series



Functionality,
flexibility and fashion

SERIES
2000

clipsal.com

CLIPSAL[®]
every room, every home



The functionality,
flexibility and
fashion of the

2000 Series

*Clipsal **2000 Series** switches, power points and accessories have celebrated almost two decades of innovative design and performance.*

In fact, the contemporary styling and flexibility of the **2000 Series** have made it Clipsal's most popular range of switches and power points – and the forerunner to our **Prestige P2000**, **Classic C2000**, **Slimline SC2000**, **Eclipse SL2000** and **Neo Series** switches.

The feature that sets the 2000 Series apart from any other range is its unique grid assembly and surround which come in a comprehensive range of colours that can be mixed and matched to complement any décor.

The surrounds also hide all mounting screws and can be easily removed when redecorating to disguise any over-painting or untidy trim marks from wallpaper.



2000 Series offers a range of stylish switches in standard and architrave sizes. These popular, sturdy and reliable switches can be found in homes all around the country.

No other range of power points matches the versatility of the 2000 Series. Available in single, double and automatic models, in vertical or horizontal format, with options such as neons, extra switches and safety shutters, 2000 Series power points offer a flexibility that is unparalleled.

The 2000 Series also offers you the flexibility of an extensive product range that includes dimmers, fan speed controllers, timers, weatherproof switches and TV, data and phone sockets.

With unsurpassed functionality, flexibility and fashion, it's not surprising that the 2000 Series continues to be so popular.





Switches

2000 Series offers the choice of both standard and architrave size switches. Standard size switches are available in vertical and horizontal formats with up to six switches. Architrave switches are available with up to four switches.

The impact-resistant gridplates ensure that 2000 Series switches are protected against the occasional use of excessive force and the 2000 Series surround completes the sophisticated look of the product.

Power Points

The 2000 Series offers a wide range of power points, including single, double and automatically switched versions.

The 2000 Series double power point is not only the most popular product in the Clipsal range; it is also the most popular double power point in Australia. Vertical and horizontal versions are available in the single and double power point ranges to give you more options. Added extras such as neons, safety shutters and extra switches allow for even more versatility (safety shutters prevent accidental contact with live terminals within the power point).

Surface mounted single and double power points are available if they are required and we also offer power points with earth leakage and surge protection for your safety.



Entertainment, Communication and Home Office

CLIPSAL[®]
every room, every home

Computers, fax machines, televisions and telephones are now an everyday part of our lives. Clipsal 2000 Series includes TV, computer and communications accessories for every application.

There are a number of TV sockets (suitable for free-to-air and pay TV) available in 2000 Series gridplates, which provide a secure connection to antenna cables to ensure optimum reception. There are also telephone, computer and speaker outlet plates available.

2000 Series has the flexibility to fully cater for your home entertainment, communication and office needs.



Matisse

matisse
M2000

Adding to the immense 2000 Series range is the Clipsal Matisse M2000 Series. Suitably named after the French artist 'Matisse', who was renowned for his creativity, flair, boldness and unique style, the Matisse range combines all of these qualities, resulting in a smooth switch with European style and unique design.

The M2000 range offers a choice of one, two and three gang easily operated switches (with or without inbuilt neons) and

also a range of dimmers and fan controllers. Turning on a light has never felt this good!

Matisse M2000 Series uses the 2000 Series Surrounds, which provide versatility and a wide range of finishes to choose from.

The Matisse Range is available in six colours: White Electric, Cream, Soft Grey, Desert Sand, Black and Brown. In addition, any single gang 2000 Series surround can be used with the Matisse switch plate.

Multigang Surrounds

The neatest way to keep your switches and power points together is with Clipsal 2000 Series Multigang Surrounds.

Available in two and three gang horizontal versions and two, three and four gang vertical versions, they neatly house and fully integrate all 2000 Series and Matisse gridplates into a single surround.



Matisse with 2 gang vertical surround (2000/2)

Matisse with 3 gang vertical surround (2000/3)



2000 Series with 3 gang horizontal surround (2000H3)

Timers

The 2000 Series also offers a range of timers for lights and fans. This is great for places like the bathroom or toilet where lights and fans sometimes get left on accidentally.

So when the lights or fan are left on, 2000 Series timers will turn them off for you. The results are real energy and cost savings in a variety of applications.

Safety Switches and Surge Protectors

Clipsal 2000 Series provides several earth leakage protected and surge protected power points for added protection against electrocution and electrical surges.

These types of power points can give protection to specific areas of the house, for example, the kitchen, nursery, garage, home office, bedroom, bathroom or laundry.

Earth leakage and surge protected power points could save someone you love from being electrocuted, or your expensive electronic equipment from being damaged. Give your family the best protection money can buy!



Dimmers and Fan Controllers

2000 Series dimmers let you adjust the lighting levels in any area for any occasion. For instance, you may want to add a little romance to an intimate dinner, create the right mood for a movie, or leave just enough light on to navigate your way to the bathroom.

Using dimmers also saves energy and reduces your power bill.

2000 Series also offers a range of fan controllers that allow you to control the speed of ceiling sweep fans and exhaust fans. This way you can adjust the air movement to suit your situation.

CLIPSAL[®]
every room, every home



Weatherproof Switches

The outstanding features and stylish good looks of the 2000 Series weatherproof switches make them the ideal choice for bathrooms and laundries.

A simple solution to the longstanding problem of using electricity near water, 2000 Series weatherproof switches are designed specifically for the restricted zones of kitchens, bathrooms, laundries and other wet areas, where both safety and aesthetics are important.

Their hardwearing, UV stabilised polycarbonate surface also makes them suitable for a wide variety of outdoor areas such as carports and pergolas.




Colours and Finishes

CLIPSAL
every room, every home

Colour Treatments









Decorative Surrounds










The 2000 Range

CLIPSAL
every room, every home


STANDARD SIZE FLUSH SWITCHES		
2031HA	A	1 Gang Horizontal Switch, 250V/10A, 1 way/2 way
2032HA	B	2 Gang Horizontal Switch, 250V/10A, 1 way/2 way
2033HA	C	3 Gang Horizontal Switch, 250V/10A, 1 way/2 way
2034HA	D	4 Gang Horizontal Switch, 250V/10A, 1 way/2 way
2031VA	E	1 Gang Vertical Switch, 250V/10A, 1 way/2 way
2032VA	F	2 Gang Vertical Switch, 250V/10A, 1 way/2 way
2033VA	G	3 Gang Vertical Switch, 250V/10A, 1 way/2 way
2034VA	H	4 Gang Vertical Switch, 250V/10A, 1 way/2 way
2035VA	I	5 Gang Vertical Switch, 250V/10A, 1 way/2 way
2036VA	J	6 Gang Vertical Switch, 250V/10A, 1 way/2 way
ARCHITRAVE SIZE FLUSH SWITCHES		
2030	A	1 Gang Vertical Architrave Switch, 250V/10A, 1 way/2 way
2032A	B	2 Gang Vertical Architrave Switch, 250V/10A, 1 way/2 way
2033A	C	3 Gang Vertical Architrave Switch, 250V/10A, 1 way/2 way
2034A	D	4 Gang Vertical Architrave Switch, 250V/10A, 1 way/2 way
STANDARD SIZE FLUSH SURROUNDS AND GRIDS - HORIZONTAL/VERTICAL MOUNTING		
2031VX	A	Flush Surround and Blank Gridplate
2031VXCB	A	Flush Surround and Blank Gridplate with 30A Terminal Block
2031VH	B	Flush Surround and 1 Gang Gridplate
2032VH	C	Flush Surround and 2 Gang Gridplate
2033VH	D	Flush Surround and 3 Gang Gridplate
2034VH	E	Flush Surround and 4 Gang Gridplate
2035VH	F	Flush Surround and 5 Gang Gridplate
2036VH	G	Flush Surround and 6 Gang Gridplate
ARCHITRAVE SIZE FLUSH SURROUNDS AND GRIDS		
2031	A	1 Gang Architrave Flush Surround and Gridplate
2032	B	2 Gang Architrave Flush Surround and Gridplate
2033	C	3 Gang Architrave Flush Surround and Gridplate
2034	D	4 Gang Architrave Flush Surround and Gridplate
SURROUNDS		
2000	A	Single Flush Surround, Curved Sided
2000M	A	Metal Flush Surround, Curved Sided (please nominate finish in colour code)
2000T	B	Trendsetter Single Flush Bevelled Edge Surround (suits 2000 Series grid plates)
2000F	C	Straight Sided Single Flush Surround
2000R	D	Single Flush Surround, Curved Sided with round hole (suits 2009R)
2000R2	E	Single Flush Surround, Curved Sided with 2 round holes (suits 2 x 2009R)
2000/2	F	Two Gang Flush Surround, Curved Sided
2000H2	G	Two Gang Flush Surround, Curved Sided, Horizontal
2000/2R	H	Two Gang Surround, Curved Sided with 2 round holes (suits 2 x 2009R)
2000/3	I	Three Gang Flush Surround, Curved Sided
2000H3	J	Three Gang Flush Surround, Curved Sided, Horizontal
2000/3R	K	Three Gang Flush Surround, Curved Sided with 3 round holes (suits 3 x 2009R)
2000/4	L	Four Gang Flush Surround, Curved Sided
2001	M	Single Gang Flush Surround, Curved Sided (architrave)
2002	N	Two Gang Flush Surround, Curved Sided (architrave)
2003/4	O	Three/Four Gang Flush Surround, Curved Sided (architrave)




CIRCUIT IDENTIFICATION CAPS		
2009	A	Oval Identification Cap (suits 2000 Series gridplate mount) - Concealed
2009R	B	Round Identification Cap (suits 2000 Series gridplate mount) - Visible
BK2009/___	C	Oval Identification Cap (add preferred number, 2 digit limit)
BK2009RH___	D	Round Identification Cap (suits horizontal mounting - add preferred number - 2 digit limit)
BK2009RV___	D	Round Identification Cap (suits vertical mounting - add preferred number - 2 digit limit)
IP66 RATED WEATHERPROOF FLUSH SWITCHES		
2031V66	A	1 Gang Weatherproof Switch, 250V/10A, 1 way/2 way, vertical mounting
2031H66	B	1 Gang Weatherproof Switch, 250V/10A, 1 way/2 way, horizontal mounting
2032V66	C	2 Gang Weatherproof Switch, 250V/10A, 1 way/2 way, vertical mounting
2032H66	D	2 Gang Weatherproof Switch, 250V/10A, 1 way/2 way, horizontal mounting
C-THRU™ LIGHT DIMMERS & FAN SPEED CONTROLLERS		
2032E450L	A	C-Thru Light Dimmer, Leading Edge, 250V AC/450W
32E450LM	B	C-Thru Light Dimmer Mechanism, Leading Edge, 250V AC/450W
2032E450T	A	C-Thru Light Dimmer, Trailing Edge, 250V AC/450W
32E450TM	B	C-Thru Light Dimmer Mechanism, Trailing Edge, 250V AC/450W
2032E500F	C	C-Thru Fan Controller, 250V AC/500W
32E500FM	B	C-Thru Fan Controller Mechanism, 250V AC/500W
2031E800T	D	High Power Dimmer, 250V/800VA, Trailing Edge
2031E1000L	D	High Power Dimmer, 250V/1000VA, Leading Edge
2031VF3CA	E	3 Speed Capacitor Ceiling Sweep Fan Controller, 250V, 100VA (suits ACES36AL & ACES48AL)
2031VF3CB	E	3 Speed Capacitor Ceiling Sweep Fan Controller, 250V, 100VA (suits ACES56AL & AFLR48)
ELECTRONIC TIMER CONTROLS		
2031VETR	A	Electronic Timer Control, 254 Minute Time Delay, 250V/10A, 2 wire
2031VETR3	A	Electronic Timer Control, 15 Hour Time Delay, 250V/10A, 3 wire
2031VETF	B	Electronic Timer Control, 10 Minutes Time Delay, 250V/10A, Fans/Lights
FLUSH MOUNTED RESIDUAL CURRENT DEVICES		
2031RC10	A	Single Gang RCD, 250V/20A, 10mA, Double Pole, horizontal mounting
2031VRC10	B	Single Gang RCD, 250V/20A, 10mA, Double Pole, vertical mounting
2031RC30	A	Single Gang RCD, 250V/20A, 30mA, Double Pole, horizontal mounting
2031VRC30	B	Single Gang RCD, 250V/20A, 30mA, Double Pole, vertical mounting
ELECTRIC RANGE SWITCHES (COOKER SWITCHES)		
2031/45	A	Electric Range Switch, 250V/45A, single pole
2031/45N	B	Electric Range Switch, 250V/45A, single pole with neon
2031D40	A	Electric Range Switch, 250V/40A, double pole
2031D40N	B	Electric Range Switch, 250V/40A, double pole with neon
TELEPHONE DATA OUTLET PLATES - STANDARD SIZE		
2031VTO	A	Telephone Outlet Plate - Telstra 610 type
2031VRJ	B	Single Telephone/Data Outlet Plate
2031VRJA5	C	Single Data Outlet Plate (100Mbps)
2031VRJD	D	Single Data Outlet Plate - marked 'DATA'
2031VRJT	E	Single Telephone Outlet Plate - marked 'TELEPHONE'
2032VRJ	F	Double Telephone/Data Outlet Plate
2032VRJA5	G	Double Data Outlet Plate (100Mbps)
AUDIO CONNECTION PLATE - STANDARD SIZE		
2032SPK	A	Audio wall plate complete with black & red RCA connectors




TV ANTENNA CONNECTION ACCESSORIES		
2031VTV05	A	TV Outlet Plate, with half inch hole
2031VTV75	B	Coaxial TV Socket in standard size plate, 75 Ohm
2031VTV75ACF	C	Single Gang TV Socket, with 3kVAc isolation, 75 Ohm
2031VTV75F	D	Single Gang TV Socket, with F type connection, 75 Ohm
2032TV75FM	E	Two Gang TV - FM Splitter in standard size plate
2031TVF	F	Two Gang PAY TV Antenna Socket in standard size plate
2032TVACFF	G	Two Gang PAY TV / FTA TV, with AC isolation, 75 Ohm, in standard size plate
2032TVFF	H	Two Gang PAY TV / FTA TV, with F type connection, 75 Ohm, in standard size plate
2032TVSF	I	Two Gang PAY TV / FTA TV Screw Coaxial Connection in standard size plate




SINGLE AUTOMATICALLY SWITCHED POWER POINTS - STANDARD SIZE - HORIZONTAL MOUNTING		
2010	A	Single Automatically Switched Power Point, 250V/10A
2010/15	B	Single Automatically Switched Power Point, 250V/15A
2010/15N	C	Single Automatically Switched Power Point, 250V/15A, with safety shutters and neon
2010/15S	B	Single Automatically Switched Power Point, 250V/15A, with safety shutters
2010L	D	Single Automatically Switched Power Point, 250V/10A, with round earth pin for lighting
2010LN	E	Single Automatically Switched Power Point, 250V/10A, with round earth pin for lighting, safety shutters and neon
2010LS	D	Single Automatically Switched Power Point, 250V/10A, with round earth pin for lighting and safety shutters
2010N	F	Single Automatically Switched Power Point, 250V/10A, with safety shutters and neon
2010S	A	Single Automatically Switched Power Point, 250V/10A, with safety shutters






SINGLE SWITCHED POWER POINTS - STANDARD SIZE - HORIZONTAL MOUNTING		
2015	A	Single Switched Power Point, 250V/10A
2015S	A	Single Switched Power Point, 250V/10A, with safety shutters
2015N	B	Single Switched Power Point, 250V/10A, with safety shutters and neon
2015D	A	Single Switched Power Point, 250V/10A, double pole
2015L	C	Single Switched Power Point, 250V/10A, with round earth pin for lighting
2015/15	D	Single Switched Power Point, 250V/15A
2015/15N	E	Single Switched Power Point, 250V/15A, with safety shutters and neon
2015/20	F	Single Switched Power Point, 250V/20A
2015N20	G	Single Switched Power Point, 250V/20A, with neon
2015D20	F	Single Switched Power Point, 250V/20A, double pole
2015DN20	G	Single Switched Power Point, 250V/20A, double pole with neon and safety shutters
2015X	H	Single Switched Power Point, 250V/10A, with removable extra switch
2015XN	I	Single Switched Power Point, 250V/10A, with safety shutters, neon and removable extra switch
2015XX	J	Single Switched Power Point, 250V/10A, with 2 removable extra switches
2015XXN	K	Single Switched Power Point, 250V/10A, safety shutters, neon and 2 removable extra switches
2015SM	L	Single Switched Power Point, 250V/10A, with surface mounting kit
2015XSM	M	Single Switched Power Point, 250V/10A, with surface mounting kit and extra switch




DOUBLE SWITCHED POWER POINTS - STANDARD SIZE - HORIZONTAL MOUNTING		
2025	A	Double Switched Power Point, 250V/10A
2025S	A	Double Switched Power Point, 250V/10A, with safety shutters
2025N	B	Double Switched Power Point, 250V/10A, with safety shutters and neons
2025L	C	Double Switched Power Point, 250V/10A, with round earth pin for lighting
2025QC	A	Double Switched Power Point, 250V/10A, Quick Connect
2025FO	D	Double Power Point, 250V/10A, printed with 'NOT PROTECTED BY SAFETY SWITCH. FRIDGE/FREEZER ONLY'
2025XA	E	Double Switched Power Point, 250V/10A, with removable extra switch
2025XAN	F	Double Switched Power Point, 250V/10A, with safety shutters, neons and removable extra switch
2025SM	G	Double Switched Power Point, 250V/10A, with surface mounting kit
2025XASM	H	Double Switched Power Point, 250V/10A, with surface mounting kit and removable extra switch



SINGLE SWITCHED POWER POINTS - STANDARD SIZE - VERTICAL MOUNTING		
2015V	A	Single Switched Power Point, 250V/10A
2015VN	B	Single Switched Power Point, 250V/10A, with safety shutters and neon
2015V15	C	Single Switched Power Point, 250V/15A
2015V15N	D	Single Switched Power Point, 250V/15A, with safety shutters and neon
2015VX	E	Single Switched Power Point, 250V/10A, with removable extra switch
2015VXN	F	Single Switched Power Point, 250V/10A, with safety shutters, neon and removable extra switch
2015VXX	G	Single Switched Power Point, 250V/10A, with 2 removable extra switches
2015VXXN	H	Single Switched Power Point, 250V/10A, with safety shutters, neon and 2 removable extra switches
2015VD	A	Single Switched Power Point, 250V/10A, double pole
2015VDX	E	Single Switched Power Point, 250V/10A, double pole with extra switch
2015VDXX	G	Single Switched Power Point, 250V/10A, double pole with 2 extra switches
SURFACE MOUNTING ACCESSORIES		
2000SMK	A	Surface Mounting Kit for 2000 Series grid assemblies
2449ASD	B	Mounting Flange for 2000 Series accessories, six mounting positions
449A	C	Surface Mounting Block for 2000 Series
2000SM	D	Surface Mounting Deep Surround for 2000 Series
DOUBLE SWITCHED POWER POINTS - STANDARD SIZE - VERTICAL MOUNTING		
2015/2V	A	Double Switched Power Point, 250V/10A - two piece base
2015D2V	A	Double Switched Power Point, 250V/10A, double pole
2015/2VN	B	Double Switched Power Point, 250V/10A, with safety shutters and neons
2015/2VS	C	Double Switched Power Point, 250V/10A, with safety shutters
2025V	D	Double Switched Power Point, 250V/10A - one piece base
2025VN	E	Double Switched Power Point, 250V/10A, with safety shutters and neons
2025VXA	F	Double Switched Power Point, 250V/10A, with removable switch
DOUBLE SWITCHED PROTECTED POWER POINTS		
2025RC	A	Double Switched Power Point, 250V/10A, with RCD - 30mA
2025RC10	B	Double Switched Power Point, 250V/10A, with RCD - 10mA
2025SF	C	Double Switched Power Point, 250V/10A, with surge protection
NO VOLT RELAY CONTROLLED POWER POINT		
2015X15RZ	A	Single Switched Power Point, 250V/15A, with no volt relay and reset switch
UNSWITCHED ELECTRIC RANGE SOCKET		
2031VCS	A	3 Pin Cooker Socket in Standard Plate, 250V/32A (suits 800CL)



 The shape of the switch dolly is a trade mark of Gerard Industries Pty Ltd

Products of Clipsal Australia Pty Ltd

ABN 27 007 873 529

Head Office

12 Park Terrace, Bowden
South Australia 5007
Telephone (08) 8269 0511
Facsimile (08) 8340 1724
Internet clipsal.com
E-Mail plugin@clipsal.com.au

Offices in all States

NSW Sydney (02) 9794 9200
Albury (02) 6041 2377
VIC Melbourne (03) 9207 3200
Country Areas 1800 653 893
QLD Brisbane (07) 3244 7444
Townsville (07) 4729 3333
SA Adelaide (08) 8268 0400

WA Perth (08) 9442 4444
TAS Launceston (03) 6343 5900
NT Darwin (08) 8947 0278

International Enquiries International Sales & Marketing

Telephone + 61 8 8269 0587
Facsimile + 61 8 8340 7350
E-Mail export@clipsal.com.au

New Zealand Clipsal Industries (NZ) Ltd

Telephone (09) 576 3403
Facsimile (09) 576 1015
E-Mail headoffice@clipsal.co.nz

Customer Service

Free Fax (0508) 250 305
Auckland/Mobile Phone (09) 572 0014
Free Phone (0508) CLIPSAL
2547725

You can find this brochure and many others online in PDF format at:
clipsal.com

Follow the links off the home page or access the following page directly:
clipsal.com/wat_lib_pdf.cfm

clipsal.com

Clipsal Australia Pty Ltd reserves the right to change specifications, modify designs and discontinue items without incurring obligation and whilst every effort is made to ensure that descriptions, specifications and other information in this catalogue are correct, no warranty is given in respect thereof and the company shall not be liable for any error therein.

©Clipsal Australia Pty Ltd 2004.
All rights reserved.

This material is copyright under Australian and international laws. Except as permitted under the relevant law, no part of this work may be reproduced by any process without prior written permission of and acknowledgement to Clipsal Australia Pty Ltd.