Product data sheet Characteristics

RMXE118S

Consumer switchboard, Resi MAX, 1 row, 18 modules, Surface



Main

Widin	
Range	Resi MAX
Product brand	Clipsal
Product or component type	Enclosure
Enclosure type	Mini enclosure for modular device
Device application	Distribution
Number of 18 mm modules per row	18
Provided equipment	DIN rail Earth terminal block Neutral terminal block
Type of front cover	Plain
Colour	White (RAL 9003)
Door type	Plain door

Complementary

Enclosure mounting	Surface
Number of horizontal rows	1
[In] rated current	63 A
Number of ways	18 ways
Cable entry	Knock-out top and bottom Knock-out rear
Type of rail	35 mm asymmetrical rail
Number of terminal blocks	18 earth (screw connection) 22 neutral (screw connection)
Enclosure material	Technoplastic
Width	376 mm external
Height	228 mm external
Depth	101.5 mm external

Environment

Fire resistance	650 °C
IP degree of protection	IP40
IK degree of protection	IK07

Packing Units

PCE	
1	
1.25 kg	
11.2 cm	
39.0 cm	
25.0 cm	
P12	
72	
102.0 kg	
80.0 cm	
	1 1.25 kg 11.2 cm 39.0 cm 25.0 cm P12 72 102.0 kg

Package 2 width	80.0 cm
Package 2 Length	120.0 cm

Offer Sustainability

EU RoHS Directive	Not applicable, out of EU RoHS legal scope
-------------------	--

2