



## SLIMLINE SEAMLESS TC LINKABLE SL9706 - 4/22W


TC SEAMLESS SLIMLINE

### Application

Great for commercial shop spaces, home pantries, walk-in wardrobes

### Design Specifications

- Selectable CCT 3000K, 4000K, 5500K, beam distribution 105 degree, CRI > 80
- Polycarbonate body profile and opal diffuser
- Integral constant current non-dimmable driver
- Individual switch control, plug and play flex and plug included
- Maximum connections: 280TC x 55, 540TC x 25, 840TC x 17, 1140TC x 12, 1440TC x 10 UNITS, Maximum mixed connections 240W
- Accessories: SL9706/32CM LINK (L 320mm)  
SL9706/76CM LINK (L 760 mm)



### Technical Specification



Product	Model No.	Input Voltage (V/AC)	Power (W)	Lumens (lm)	CCT (K)	CRI
	<b>SL9706/280TC</b>	240	4	300/380/300	3000/4000/5500	80
	<b>SL9706/540TC</b>	240	9	750/800/750	3000/4000/5500	80
	<b>SL9706/840TC</b>	240	13	1050/1200/1050	3000/4000/5500	80
	<b>SL9706/1140TC</b>	240	18	1550/1600/1600	3000/4000/5500	80
	<b>SL9706/1440TC</b>	240	22	1800/2000/1800	3000/4000/5500	80

Beam Angle (°)	Dim (mm)	Body Colour	VEET
105	280(L) x 23(W) x 36(H)	WHITE	
105	540(L) x 23(W) x 36(H)	WHITE	
105	840(L) x 23(W) x 36(H)	WHITE	YES
105	1140(L) x 23(W) x 36(H)	WHITE	YES
105	1440(L) x 23(W) x 36(H)	WHITE	YES

**IMPORTANT**, where CCT selection switching is provided, it is important to switch OFF the SUPPLY before the CCT selection is made, otherwise equipment damage may occur.

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with [SAL Terms and Conditions of sale](#) and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".

## Dimensions



# THE NEW ESS106 IS SMALL IN SIZE BUT BIG ON FEATURES.



For more  
information  
please  
scan me

