



ALBANY S9514TC - 28/36W

Recessed LED rectangular Shop Light with selectable CCT and power.

Application

Ideal for any retail or commercial interior spaces

Design Specifications

- Selectable CCT
- Twin 28W / 36W power settings
- Adjustable up to 60 degree
- Constant current non-dimmable LED driver, complete with flex and plug.
- Stylish white or silver powder coat finish
- High efficiency LED optics.

Performance

- Dimmable - **NO**




Technical Specification

Product	Model No.	Input Voltage (V/AC)	Multiple Wattage	Lumens (lm)	CCT (K)	Beam Angle (°)
	S9514TC WH	240	28/36	2800/3600	3000/4000/5500	100
	S9514TC SL	240	28/36	2800/3600	3000/4000/5500	100

Dimmable	CRI	Body Colour	Dim (mm)	IPART	REES
NO	80	WHITE	228(L) x 144(W) x 115(H)	YES	YES
NO	80	SILVER	228(L) x 144(W) x 115(H)	YES	YES


Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with [SAL Terms and Conditions of sale](#) and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".

Dimensions



Photometric Data

Unit: cd C0/C180 _____ C90/C270 _____



THE SFI SYSTEM ELIMINATES LED FLICKERING.

**SIMPLY
MATCH THE
ECO GEM SFI
DOWNLIGHT
WITH THIS
SDD400SFI
DIMMER.**



**DIM with
FLICKER
CONTROL**

For related
products
please
scan me

